

NEW H SERIES LOADERS


H260 | H310 | H340 | H360 | H380 | H480



The Ultimate Hired Hand

Introducing the all-new H Series Loaders

John Deere Loaders have always been known for their durability and seamless integration with John Deere Tractors. To answer operator requests and to meet the challenges of evolving tractors, John Deere introduces the all-new H Series Loaders. These loaders bring all the strength of previous John Deere Loaders and combine that legacy with more visibility, added ease of use, and faster cycle times. “Will-fit” loaders just can’t match the co-engineered advantage of a green loader on a green tractor.



Convenient single-point hydraulic connections save time while eliminating connection error with virtually no oil loss. Plus, electrical connections are integrated in the single-point connection.



Cast steel components add strength and durability.

The low torque tube position improves visibility. The redesigned attachment carrier also improves operator's visibility making it easier to switch attachments. And with a wide range of John Deere and Frontier attachments you can quickly go from moving bales to loading the feed mixer.

Concealed oil lines, routed through the boom arm and torque tube, protect the hydraulic system and give the loader a more attractive appearance.

False rod bucket cylinders require a smaller displacement of oil on the head end of the cylinder allowing the cylinder to dump significantly faster than a normal cylinder. The result? Faster bucket dumping cycle times. (False rod bucket cylinders are only available on Mechanical Self-Leveling configurations.)



H Series Loader and Tractor Compatibility

Model #	Model Replaced	Tractor Compatibility	Leveling Options
H260	563	5M 5E Limited 6D	NSL or MSL
H310	--	6D 5M 6030	NSL or MSL
H340	673	6030 7130 7230	NSL or MSL
H360	740	7130 7230 7330 6R	NSL or MSL
H380	741	6R	MSL
H480	746 and 843	7R 8R	MSL

NSL = Non-Self Leveling
MSL = Mechanical Self Leveling

Park in a snap. No tools needed.



Parking stands and pins are integrated on the loader – no loose parts, no tools needed.



This literature has been compiled for worldwide circulation. While general information, pictures, and descriptions are provided, some illustrations and text may include finance, insurance, product options and accessories NOT AVAILABLE in all regions. PLEASE CONTACT YOUR LOCAL DEALER FOR DETAILS. John Deere reserves the right to change specification, design and price of products described in this literature without notice. John Deere, the leaping deer symbol, and John Deere's green and yellow trade dress are the trademarks of Deere & Company.

DSAB49580 Litho in U.S.A. (11-08)

JohnDeere.com/Ag

